


# *COSHH information*





Material Safety Data Sheet for bituminous roofing felts.

**1 PRODUCT INFORMATION & USE**

Product: Bituminous Roofing Felt(s)  
 Use: Roof waterproofing membrane(s)  
 Company Identification: EDS Roofing Supplies (Midlands) Limited  
 Unit 3 Bilton Way, Lutterworth, Leicestershire, LE17 4JA  
 Telephone / Fax Number: Tel: 01455 558 877 Fax: 01455 550 116

**2 COMPOSITION**

Solid sheet material containing:  
 Oxidised or polymer modified bitumen  
 Calcium carbonate  
 A reinforcing base material which may be rag fibre, glass fibre, polyester fibre, aluminium foil, polyethylene film, polypropylene film or a combination of these materials  
 Siliconised polyethylene film  
 Sand and or mineral granules

**3 HAZARDS**

Not classified as hazardous

**4 FIRST AID MEASURES**

Eye Contact: N/A  
 Skin Contact: N/A  
 Ingestion: Seek medical attention  
 Inhalation: N/A

**5 FIRE FIGHTING**

Roofing felts of a bituminous nature will burn if ignited  
 Extinguisher Media: Dry chemical or aqueous film foam (AFFF) extinguishers  
 Fire & Explosive Hazards: N/A

**6 ACCIDENTAL RELEASE MEASURES**

N/A

**7 HANDLING & STORAGE**

Store on end on flat surface

**8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

N/A

**9 PHYSICAL & CHEMICAL PROPERTIES**

Appearance: Black sheet in roll form, various thickness', various surface finishes  
 Odour: Bituminous

**10 STABILITY & REACTIVITY**

Stability: Stable under normal conditions  
 Materials to avoid: None known  
 Conditions to avoid: Excessive heat

**11 TOXICOLOGICAL INFORMATION**

N/A

**12 ECOLOGICAL INFORMATION**

N/A

**13 DISPOSAL CONSIDERATION**

Dispose at a registered land infill site in accordance with Local Authority regulations

**14 TRANSPORT INFORMATION**

No unusual transportation problems

**EU REGULATORY INFORMATION**

Assessment 67/548/CEE dated 27/06/1967  
 Assessment 88/379/CEE dated 07/06/1988  
 Assessment 91/155/CEE dated 05/03/1991 and modification

**REFERENCES**

NIOSH Registry of toxic effects of chemical substance  
 SAX Dangerous properties of industrial materials

**NOTE:** The company reserves the right to modify the technical data in this specification sheet that is based on current production without prior warning. All indications in this specification sheet are based upon our experience and current working practices. The company makes no representation or warranty as to the suitability or fitness of membranes for any particular purpose. The buyer shall satisfy himself or herself and shall therefore be totally responsible in this respect.

For Further information contact

EDS Roofing Supplies (Midlands) Limited, Unit 3 Bilton Way, Lutterworth, LE17 4JA  
 Tel: 01455 558877 Fax: 01455550116 Email: sales@eds-midlands.co.uk Web Site: www.eds-midlands.co.uk



## Material Safety Data Sheet for Edsulation insulation.

**1 PRODUCT INFORMATION & USE**

Product: *edsulation* Thermal Insulation  
Use: Thermal insulation of roofs  
Company Identification: EDS Roofing Supplies (Midlands)  
Limited  
Unit 3 Bilton Way, Lutterworth,  
Leicestershire, LE17 4JA  
Telephone / Fax Number: Tel: 01455 558 877 Fax: 01455 550  
116

**2 COMPOSITION**

Rigid expanded polyurethane or polystyrene foam board, obtained by a chemical reaction between polyol and isocyanate and a lower quantity of catalysers, fire retardants and expanded agents

**3 HAZARDS**

Cell solid material, stable in suitable stocking and handling conditions (see paragraph 7) In normal conditions the material is chemically inert, not soluble and cannot be metabolised It does not emit toxic fumes or vapours

**4 FIRST AID MEASURES**

Eye Contact: N/A  
Skin Contact: N/A  
Ingestion: Seek medical attention  
Inhalation: N/A

**5 FIRE FIGHTING**

Polyurethane or polystyrene foam is not inflammable but combustible It burns if in contact with a flame

Extinguisher Media: All extinguisher media can be used  
Fire & Explosive Hazards: If involved in a fire, the product can emit toxic fumes  
Fire fighting operators are required to use breathing apparatus

**6 ACCIDENTAL RELEASE MEASURES**

N/A

**7 HANDLING & STORAGE**

Materials are physically stable, but it is advised to store them in dry, ventilated areas, protected from the atmospheric agents If materials are stocked outside, they must be suitably protected from rain and direct sun rays Do not store materials near to free flames and or sparks During handling it is required to use masks and gloves in the presence of dust

**8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

During cutting operations some dust may be formed which can be irritating Use of gloves and masks is recommended to protect the respiratory tract

**9 PHYSICAL & CHEMICAL PROPERTIES**

Appearance: Pale yellow/white boards, various thickness', and weights

**10 STABILITY & REACTIVITY**

Stability: Stable under normal conditions  
Materials to avoid: None known  
Conditions to avoid: Excessive heat

**11 TOXICOLOGICAL INFORMATION**

N/A

**12 ECOLOGICAL INFORMATION**

N/A

**13 DISPOSAL CONSIDERATION**

Dispose at a registered land infill site in accordance with Local Authority regulations

**14 TRANSPORT INFORMATION**

No unusual transportation problems

**EU REGULATORY INFORMATION**

Assessment 67/548/CEE dated 27/06/1967  
Assessment 88/379/CEE dated 07/06/1988  
Assessment 91/155/CEE dated 05/03/1991 and modification


**REFERENCES**

NIOSH Registry of toxic effects of chemical substance  
SAX Dangerous properties of industrial materials

**NOTE:** The company reserves the right to modify the technical data in this specification sheet that is based on current production without prior warning. All indications in this specification sheet are based upon our experience and current working practices. The company makes no representation or warranty as to the suitability or fitness of membranes for any particular purpose. The buyer shall satisfy himself or herself and shall therefore be totally responsible in this respect.

**For Further information contact**

EDS Roofing Supplies (Midlands) Limited, Unit 3 Bilton Way, Lutterworth, LE17 4JA  
Tel: 01455 558877 Fax: 01455550116 Email: sales@eds-midlands.co.uk Web Site: www.eds-midlands.co.uk



# *COSHH information*

